



Univar USA Inc.
6100 Carillon Point
Kirkland, WA 98033
(425) 889-3400

For Emergency Assistance involving chemicals call - CHEMTREC (800) 424-9300

The Version Date for this MSDS is : 12/21/2005

PRODUCT NAME: BARIUM SULFATE

MSDS NUMBER: MZB0504

DATE ISSUED: 6/4/2003

SUPERSEDES: 1/8/2002

ISSUED BY: 008614

This MSDS has been reviewed on 12/20/2005, and is current as of the DATE ISSUED above.

PRODUCT NAME:
BARIUM SULFATE

Distributed by:
Univar USA Inc.
6100 Carillon Point
Kirkland, WA 98003-7357
425-889-5000

BARIUM SULFATE

1. PRODUCT IDENTIFICATION

SYNONYMS: SULFURIC ACID, BARIUM SALT; BARYTES; BLANC FIXE; BARITE

CAS NO: 7727-43-7

MOLECULAR WEIGHT: 233.39

CHEMICAL FORMULA: BaSO_4

2. COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT CAS NO PERCENT HAZARDOUS

BARIUM SULFATE 7727-43-7 97 - 100% YES
=====

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

AS PART OF GOOD INDUSTRIAL AND PERSONAL HYGIENE AND SAFETY PROCEDURE, AVOID ALL UNNECESSARY EXPOSURE TO THE CHEMICAL SUBSTANCE AND ENSURE PROMPT REMOVAL FROM SKIN, EYES AND CLOTHING.

POTENTIAL HEALTH EFFECTS

INHALATION:
NOT EXPECTED TO BE A HEALTH HAZARD.

INGESTION:
NOT EXPECTED TO BE A HEALTH HAZARD.

SKIN CONTACT:
NO ADVERSE EFFECTS EXPECTED.

EYE CONTACT:
NO ADVERSE EFFECTS EXPECTED BUT DUST MAY CAUSE MECHANICAL IRRITATION.

CHRONIC EXPOSURE:
LONG TERM INHALATION OF DUST MAY LEAD TO DEPOSITION IN LUNGS IN SUFFICIENT QUANTITIES TO PRODUCE BARITOSIS - A BENIGN PNEUMOCONIOSIS. THIS PRODUCES A RADIOLOGICAL PICTURE EVEN THOUGH SYMPTOMS AND ABNORMAL SIGNS MAY NOT BE PRESENT.

AGGRAVATION OF PRE-EXISTING CONDITIONS:
NO INFORMATION FOUND.

=====

4. FIRST AID MEASURES

INHALATION:
REMOVE TO FRESH AIR. GET MEDICAL ATTENTION FOR ANY BREATHING DIFFICULTY.

INGESTION:
GIVE SEVERAL GLASSES OF WATER TO DRINK TO DILUTE. IF LARGE AMOUNTS WERE SWALLOWED, GET MEDICAL ADVICE.

SKIN CONTACT:
WASH EXPOSED AREA WITH SOAP AND WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

EYE CONTACT:

WASH THOROUGHLY WITH RUNNING WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

5. FIRE FIGHTING MEASURES

FIRE:

NOT CONSIDERED TO BE A FIRE HAZARD.

EXPLOSION:

NOT CONSIDERED TO BE AN EXPLOSION HAZARD.

FIRE EXTINGUISHING MEDIA:

USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE.

SPECIAL INFORMATION:

IN THE EVENT OF A FIRE, WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

6. ACCIDENTAL RELEASE MEASURES

VENTILATE AREA OF LEAK OR SPILL. WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AS SPECIFIED IN SECTION 8. SPILLS: SWEEP UP AND CONTAINERIZE FOR RECLAMATION OR DISPOSAL. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

7. HANDLING AND STORAGE

KEEP IN A TIGHTLY CLOSED CONTAINER. PROTECT FROM PHYSICAL DAMAGE. STORE IN A COOL, DRY, VENTILATED AREA AWAY FROM SOURCES OF HEAT, MOISTURE AND INCOMPATIBILITIES. CONTAINERS OF THIS MATERIAL MAY BE HAZARDOUS WHEN EMPTY SINCE THEY RETAIN PRODUCT RESIDUES (DUST, SOLIDS); OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE PRODUCT.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

AIRBORNE EXPOSURE LIMITS:

-OSHA PERMISSIBLE EXPOSURE LIMIT (PEL):

15 MG/M3 TOTAL DUST, 5 MG/M3 RESPIRABLE DUST

-ACGIH THRESHOLD LIMIT VALUE (TLV):

10 MG/M3 (TWA)

VENTILATION SYSTEM:

IN GENERAL, DILUTION VENTILATION IS A SATISFACTORY HEALTH HAZARD CONTROL FOR THIS SUBSTANCE. HOWEVER, IF CONDITIONS OF USE CREATE DISCOMFORT TO THE WORKER, A LOCAL EXHAUST SYSTEM SHOULD BE CONSIDERED.

PERSONAL RESPIRATORS (NIOSH APPROVED):

IF THE EXPOSURE LIMIT IS EXCEEDED AND ENGINEERING CONTROLS ARE NOT FEASIBLE, A HALF FACEPIECE PARTICULATE RESPIRATOR (NIOSH TYPE N95 OR BETTER FILTERS) MAY BE WORN FOR UP TO TEN TIMES THE EXPOSURE LIMIT OR THE MAXIMUM USE CONCENTRATION SPECIFIED BY THE APPROPRIATE REGULATORY AGENCY OR RESPIRATOR SUPPLIER, WHICHEVER IS LOWEST.. A FULL-FACE PIECE PARTICULATE RESPIRATOR (NIOSH TYPE N100 FILTERS) MAY BE WORN UP TO 50 TIMES THE EXPOSURE LIMIT, OR THE MAXIMUM USE CONCENTRATION SPECIFIED BY THE APPROPRIATE REGULATORY AGENCY, OR RESPIRATOR SUPPLIER, WHICHEVER IS LOWEST. IF OIL PARTICLES (E.G. LUBRICANTS, CUTTING FLUIDS, GLYCERINE, ETC.) ARE PRESENT, USE A NIOSH TYPE R OR P FILTER. FOR EMERGENCIES OR INSTANCES WHERE THE EXPOSURE LEVELS ARE NOT KNOWN, USE A FULL-FACEPIECE POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. WARNING: AIR-PURIFYING RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

SKIN PROTECTION:

WEAR PROTECTIVE GLOVES AND CLEAN BODY-COVERING CLOTHING.

EYE PROTECTION:

USE CHEMICAL SAFETY GOGGLES. MAINTAIN EYE WASH FOUNTAIN AND QUICK-DRENCH FACILITIES IN WORK AREA.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: BOILING POINT:

FINE, WHITE POWDER. 1600C (2912F) DECOMPOSES.

ODOR: MELTING POINT:

ODORLESS. 1580C (2876F)

SOLUBILITY: VAPOR DENSITY (AIR=1):

INSOLUBLE IN WATER. NO INFORMATION FOUND.

SPECIFIC GRAVITY: VAPOR PRESSURE (MM HG):

4.5 @ 15 (59F) NO INFORMATION FOUND.

PH: EVAPORATION RATE (BUAC=1):

5% IN WATER IS NEUTRAL TO LITMUS. NO INFORMATION FOUND.

% VOLATILES BY VOLUME @ 21C (70F):

0

10. STABILITY AND REACTIVITY

STABILITY:

STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE.

HAZARDOUS DECOMPOSITION PRODUCTS:

BURNING MAY PRODUCE SULFUR OXIDES.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR.

INCOMPATIBILITIES:

ALUMINUM, PHOSPHORUS.

CONDITIONS TO AVOID:

DUSTING AND INCOMPATIBLES.

11. TOXICOLOGICAL INFORMATION

NO LD50/LC50 INFORMATION FOUND RELATING TO NORMAL ROUTES OF OCCUPATIONAL EXPOSURE.

-----\CANCER LISTS\-----

---NTP CARCINOGEN---

INGREDIENT KNOWN ANTICIPATED IARC CATEGORY

BARIUM SULFATE (7727-43-7) NO NO NONE

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE:

THIS MATERIAL MAY BIOACCUMULATE TO SOME EXTENT.

ENVIRONMENTAL TOXICITY:

NO INFORMATION FOUND.

13. DISPOSAL CONSIDERATIONS

WHATEVER CANNOT BE SAVED FOR RECOVERY OR RECYCLING SHOULD BE MANAGED IN AN APPROPRIATE AND APPROVED WASTE FACILITY. ALTHOUGH NOT A LISTED RCRA HAZARDOUS WASTE, THIS MATERIAL MAY EXHIBIT ONE OR MORE CHARACTERISTICS OF A

HAZARDOUS WASTE AND REQUIRE APPROPRIATE ANALYSIS TO DETERMINE SPECIFIC DISPOSAL REQUIREMENTS. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS.

DISPOSE OF CONTAINER AND UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

14. TRANSPORT INFORMATION

NOT REGULATED.

15. REGULATORY INFORMATION

-----\CHEMICAL INVENTORY STATUS - PART 1\-----
INGREDIENT TSCA EC JAPAN AUSTRALIA

BARIUM SULFATE (7727-43-7) YES YES YES YES

-----\CHEMICAL INVENTORY STATUS - PART 2\-----
--CANADA--
INGREDIENT KOREA DSL NDSL PHIL.

BARIUM SULFATE (7727-43-7) YES YES NO YES

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 1\-----
-SARA 302- -----SARA 313-----
INGREDIENT RQ TPQ LIST CHEMICAL CATG

BARIUM SULFATE (7727-43-7) NO NO NO NO

-----\FEDERAL, STATE & INTERNATIONAL REGULATIONS - PART 2\-----
-RCRA- -TSCA-
INGREDIENT CERCLA 261.33 8(D)

BARIUM SULFATE (7727-43-7) NO NO NO

CHEMICAL WEAPONS CONVENTION: NO TSCA 12(B): NO CDTA: NO
SARA 311/312: ACUTE: YES CHRONIC: NO FIRE: NO PRESSURE: NO
REACTIVITY: NO (PURE / SOLID)

AUSTRALIAN HAZCHEM CODE: NONE ALLOCATED.
POISON SCHEDULE: NONE ALLOCATED.

WHMIS: THIS MSDS HAS BEEN PREPARED ACCORDING TO THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS

ALL OF THE INFORMATION REQUIRED BY THE CPR.

16. OTHER INFORMATION

NFPA RATINGS:

HEALTH: 0 FLAMMABILITY: 0 REACTIVITY: 0

For Additional Information:

Contact: MSDS Coordinator - Univar USA

During business hours, Pacific Time - (425) 889-3400

NOTICE

Univar USA expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages.

Do not use ingredient information and/or ingredient percentages in this MSDS as a product specification. For product specification information refer to a Product Specification Sheet and/or a Certificate of Analysis. These can be obtained from your local Univar USA Sales Office.

All information appearing herein is based upon data obtained from the manufacturer and/or recognized technical sources. While the information is believed to be accurate, Univar USA makes no representations as to its accuracy or sufficiency. Conditions of use are beyond Univar USA's control. Therefore, users are responsible to verify this data under their own operating conditions to determine whether the product is suitable for their particular purposes, and they assume all risks of their use, handling, and disposal of the product or from the publication or use of, or reliance upon, information contained herein. This information relates only to the product designated herein and does not relate to its use in combination with any other material or in any other process.

END OF MSDS