

MATERIAL SAFETY DATA SHEET

Manufacturer or Distributor: **Standard Ceramic Supply Company**
P.O. Box 4435
Pittsburgh, PA 15205-0435

Information phone Number: **412-276-6333**

Emergency phone Number: **412-276-6333**

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **Standard Low Fire, No-Talc, White Moist Clay Body**

PRODUCT NUMBER **105NT & 105NTG**

PRODUCT SIZES: **2, 25-Lb. Bags Per Box**

PRODUCT CLASS: **Ceramic Clay**

SECTION II - HAZARDOUS INGREDIENTS

| <u>INGREDIENT</u> | <u>CAS #</u> | <u>PEL/TLV</u> <u>(MG/M3)</u> | <u>MAX %</u> <u>WEIGHT</u> | <u>NTP</u> | <u>IARC</u> |
|-------------------|--------------|----------------------------------|-------------------------------|------------|-------------|
|-------------------|--------------|----------------------------------|-------------------------------|------------|-------------|

None

SECTION III - PHYSICAL & CHEMICAL CHARACTERISTICS

| | | | |
|----------------|-----|------------------|-----|
| BOILING POINT: | N/A | MELTING POINT: | N/A |
| VAPOR PRESSURE | N/A | SPECIFIC GRAVITY | N/A |

| | | | |
|------------------------------------|-----|-------------------------|---------------------|
| SPECIFIC VAPOR DENSITY (AIR=1): | N/A | REACTIVITY IN WATER: | Non-Reactive |
| SOLUBILITY IN WATER: | N/A | APPEARANCE & ODOR: | |

SECTION IV - FIRE & EXPLOSION INFORMATION

| | |
|--|---|
| FLASH POINT (METHOD): | N/A |
| AUTO-IGNITION TEMPERATURE: | N/A |
| EXPLOSION LIMITS IN AIR (% BY VOLUME): | Not Explosive |
| EXTINGUISHING MEDIA: | No Special Media Required |
| FIRE FIGHTING PROCEDURES: | No Special Fire Fighting Procedures Required |
| UNUSUAL FIRE & EXPLOSION HAZARDS: | Not Combustible |

SECTION V - PHYSICAL HAZARDS/REACTIVITY

| | |
|---|-------------|
| HAZARDOUS POLYMERIZATION PRODUCTS: | None |
| STABILITY (STABLE CONDITIONS TO AVOID): | None |
| INCOMPATIBILITY (MATERIALS TO AVOID): | None |
| HAZARDOUS DECOMPOSITION PRODUCTS: | None |

SECTION VI - HEALTH HAZARD DATA

| | |
|--|---|
| PERMISSIBLE EXPOSURE LEVEL: | See Section II - Component PEL/TLV's |
| PRIMARY ROUTES OF ENTRY: | |
| EFFECTS & SYMPTOMS OF ACUTE EXPOSURE: | None Expected |
| EFFECTS & SYMPTOMS OF CHRONIC | None Expected |

EXPOSURE:

CARCINOGEN LISTING:

**NTP: No IARC: No OSHA: No
See Section II for Components Affected**

MEDICAL CONDITIONS USUALLY
AGGRAVATED BY OVER EXPOSURE TO
THIS PRODUCT:

None

FIRST AID MEASURES:

**None Required
No Acute Health Effects Expected**

SECTION VII - SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING
STORAGE & HANDLING:

No Special Precautions Required

STEPS TO BE TAKEN IN CASE OF SPILL:

No Special Spill Procedures Required

WASTE DISPOSAL METHOD:

**Dispose in Accordance with Federal, State &
Local Regulations**

SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES

RESPIRATORY PROTECTION & SPECIAL VENTILATION
REQUIREMENTS:

None Required

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.):

None Required

WORK/HYGIENE PRACTICES

None Required

COMPANY:

Standard Ceramic Supply Company

BRAND NAME:

Standard Low Fire, No Talc, White Moist Clay Body

PRODUCT NUMBER:

105NT & 105NTG

Form Completed By:

Standard Ceramic Supply

Last Updated:

04/01/09

Ingredient Listing for New Jersey Worker & Community Right to Know Act

| <u>Chemical Name</u> | <u>CAS/CI or DCMA#</u> |
|---------------------------------|------------------------|
| Hydrous Alumina Silicate | 1332-58-7 |
| Calcite-Ground Limestone | 1317-65-3 |
| Silicon Dioxide | 14808-60-7 |
| Water | |