

# MATERIAL SAFETY DATA SHEET

Manufacturer or Distributor: **Standard Ceramic Supply Company**  
**P.O. Box 4435**  
**Pittsburgh, PA 15205-0435**

Information phone Number: **412-276-6333**

Emergency phone Number: **412-276-6333**

---

## SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: **Standard Low Fire, No-Talc, White Moist Clay Body**

PRODUCT NUMBER **572**

PRODUCT SIZES: **2, 25-Lb. Bags Per Box**

PRODUCT CLASS: **Ceramic Clay**

---

## SECTION II - HAZARDOUS INGREDIENTS

| <u>INGREDIENT</u> | <u>CAS #</u> | <u>PEL/TLV (MG/M3)</u> | <u>MAX % WEIGHT</u> | <u>NTP</u> | <u>IARC</u> |
|-------------------|--------------|------------------------|---------------------|------------|-------------|
|-------------------|--------------|------------------------|---------------------|------------|-------------|

**None**

---

## SECTION III - PHYSICAL & CHEMICAL CHARACTERISTICS

|                |            |                  |            |
|----------------|------------|------------------|------------|
| BOILING POINT: | <b>N/A</b> | MELTING POINT:   | <b>N/A</b> |
| VAPOR PRESSURE | <b>N/A</b> | SPECIFIC GRAVITY | <b>N/A</b> |

|                                    |     |                         |                     |
|------------------------------------|-----|-------------------------|---------------------|
| SPECIFIC VAPOR DENSITY<br>(AIR=1): | N/A | REACTIVITY IN<br>WATER: | <b>Non-Reactive</b> |
| SOLUBILITY IN WATER:               | N/A | APPEARANCE & ODOR:      |                     |

---

#### SECTION IV - FIRE & EXPLOSION INFORMATION

|  |   |
|--|---|
| FLASH POINT (METHOD):                  | N/A   |
| AUTO-IGNITION TEMPERATURE:             | N/A   |
| EXPLOSION LIMITS IN AIR (% BY VOLUME): | <b>Not Explosive</b>                                    |
| EXTINGUISHING MEDIA:                   | <b>No Special Media Required</b>                        |
| FIRE FIGHTING PROCEDURES:              | <b>No Special Fire Fighting Procedures<br/>Required</b> |
| UNUSUAL FIRE & EXPLOSION HAZARDS:      | <b>Not Combustible</b>                                  |

---

#### SECTION V - PHYSICAL HAZARDS/REACTIVITY

|   |             |
|---|-------------|
| HAZARDOUS POLYMERIZATION PRODUCTS:      | <b>None</b> |
| STABILITY (STABLE CONDITIONS TO AVOID): | <b>None</b> |
| INCOMPATIBILITY (MATERIALS TO AVOID):   | <b>None</b> |
| HAZARDOUS DECOMPOSITION PRODUCTS:       | <b>None</b> |

---

#### SECTION VI - HEALTH HAZARD DATA

|  |   |
|--|---|
| PERMISSIBLE EXPOSURE LEVEL:              | <b>See Section II - Component PEL/TLV's</b> |
| PRIMARY ROUTES OF ENTRY:                 |   |
| EFFECTS & SYMPTOMS OF ACUTE<br>EXPOSURE: | <b>None Expected</b>                        |
| EFFECTS & SYMPTOMS OF CHRONIC            | <b>None Expected</b>                        |

EXPOSURE:

CARCINOGEN LISTING:

**NTP: No IARC: No OSHA: No  
See Section II for Components Affected**

MEDICAL CONDITIONS USUALLY  
AGGRAVATED BY OVER EXPOSURE TO  
THIS PRODUCT:

**None**

FIRST AID MEASURES:

**None Required  
No Acute Health Effects Expected**

---

### SECTION VII - SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING  
STORAGE & HANDLING:

**No Special Precautions Required**

STEPS TO BE TAKEN IN CASE OF SPILL:

**No Special Spill Procedures Required**

WASTE DISPOSAL METHOD:

**Dispose in Accordance with Federal, State &  
Local Regulations**

---

### SECTION VIII - PROTECTIVE EQUIPMENT/CONTROL MEASURES

RESPIRATORY PROTECTION & SPECIAL VENTILATION  
REQUIREMENTS:

**None Required**

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.):

**None Required**

WORK/HYGIENE PRACTICES

**None Required**

---

COMPANY:

**Standard Ceramic Supply Company**

BRAND NAME:

**Standard Low Fire, No Talc, White Moist Clay Body**

PRODUCT NUMBER:

**572**

---

Form Completed By:

**Woodhall Stopford, MD, MSPH**

Last Updated:

**05/20/91**

---

Ingredient Listing for New Jersey Worker & Community Right to Know Act

| <u>Chemical Name</u>             | <u>CAS/CI or DCMA#</u> |
|----------------------------------|------------------------|
| <b>Hydrous Aluminum Silicate</b> | <b>1332-58-7</b>       |
| <b>Calcite-Ground Limestone</b>  | <b>1317-65-3</b>       |
| <b>Alumina Silicate</b>          | <b>1344-28-1</b>       |
| <b>Water</b>                     |                        |